INDEX

Petroleum Transactions, Volume 219

(Plus References to Articles, Field Case Histories and Technical Notes Published in Journal of Petroleum Technology in 1960)

A

ABQAIQ FIELD: *See* Saudi Arabia

ACID TREATMENT: engineered guide for planning, based on specific reservoir characteristics, 16 (Feb. JPT)
improved acid for calcium sulfate-bearing formations, (Tech. Note) Jan. JPT, 67

ACOUSTIC VELOCITY LOGGING: method of interpretation in Delaware sand, (Tech. Note) Jan. JPT, 71
new developments in sonic logging, (Tech. Note) May JPT, 79

ADAMSON, A. W.: *The Diffusional Behavior and Viscosity of Liquid Mixtures*, 158; Summary June JPT, 86

ADDITIVES: new organic fluid-loss-control type for oilwell cements, (Art.) Sept. JPT, 20

ALANI, G. H. and KENNEDY, H. T.: *Volumes of Liquid Hydrocarbons at High Temperatures and Pressures*, 288; Summary Nov. JPT, 272A

ALASKA: UMIAT FIELD: effect of completion fluids on well productivity, (Field Case Hist.) Oct. JPT, 33

ALCOHOL SLUG PROCESS: for increasing oil recovery, 46; Summary March JPT, 84

ALFORD, J. B.: *SPE Poll Reflects Future Decline in Number of PE Graduates*, (Art.) July JPT, 41

ALGER, R. P.: *New Developments in Induction and Sonic Logging*, (Tech. Note) May JPT, 79

AMBASSADOR FIELD: *See* Texas

AMMANN, C. B.: *Case Histories of Analyses of Characteristics of Reservoir Rock from Drill-Stem Tests*, (Art.) May JPT, 27

ANISOTROPIC RESERVOIRS: effect of directional permeability on sweep efficiency and production capacity, (Tech. Note) Nov. JPT, 67
spread of pressure transients delineates Spraberry fracture orientation, 301 (Dec. JPT)

AQUIFER: non-uniform: interference between oil fields, (Tech. Note) Dec. JPT, 55

ARNOLD, C. W., et al: *Displacement of Oil by Rich Gas Banks*, 305 (Dec. JPT)

AUTOMATION: automatic *custody-transfer system at Lake Pelto, Louisiana*, (Art.) Oct. JPT, 15

B

BAILEY, H. R. and LARKIN, B. K.: *Conduction-Convection in Underground Combustion*, 321; Summary Dec. JPT, 70

BAKER, P. E.: *Discussion of "Effect of Viscosity Ratio on Relative Permeability"*, (Tech. Note) Nov. JPT, 65; discussion, Dec. JPT, 68

BAUGH, E. G.: *Performance of Seeligson Zone 20-B Enriched Gas-Drive Project*, (Field Case Hist.) March JPT, 29

BAUMAN, W. E. and MILES, F. V.: *Characteristics of a Retrograde Condensate Reservoir Containing a Large Quantity of Carbon Dioxide*, (Field Case Hist.) April JPT, 27

BEAVER CREEK FIELD: *See* Wyoming

BELL, J. S.: *Your Other Job*, (Art.) Jan. JPT, 11

BELL, W. T. and LEBOURG, M. P.: *Perforating of Multiple Tubingless Completions*, 88 (May JPT)

BENHAM, A. L., et al: *Miscible Fluid Displacement—Prediction of Miscibility*, 229 (Oct. JPT)

BERRY, V. J. JR. and PARRISH, D. R.: *A Theoretical Analysis of Heat Flow in Reverse Combustion*, 124; Summary May JPT, 15

BIT: JET: design and operation for maximum hydraulic horsepower, impact force or jet velocity, 238 (Oct. JPT)
effect of some drilling variables on the instantaneous rate of penetration, 137 (June JPT)

BLACKWELL, R. L., et al: *Recovery of Oil by Displacements with Water-Solvent Mixtures*, 293; Summary Nov. JPT, 272B

BOLIVAR COASTAL FIELD: *See* Venezuela

BOOZER, G. D. and SOMERTON, W. H.: *Thermal Characteristics of Porous Rocks at Elevated Temperatures*, (Tech. Note) June JPT, 77

BOTTOM-HOLE PRESSURE: two instruments providing automatic surface recording, (Tech. Note) Feb. JPT, 79

BOTTOM WATER: effect on low gravity oil production, (Field Case Hist.) Feb. JPT, 45

BRANDT, G. W., et al: *An Improved Water-in-Oil Emulsion Mud*, (Art.) March JPT, 14

BRINK, D. E., et al.: *Measurement of the Dynamic Characteristics of Perforating Shaped Charges by the Use of Ultra High-Speed Photographic Techniques*, 257; Summary Oct. JPT, 77

BRINKMAN, F. H. and SICKING, J. N.: *Equilibrium Ratios for Reservoir Studies by a Calculative Method*, 313; Summary Dec. JPT, 69

BROWN, R. J. S. and GAMSON, B. W.: *Nuclear Magnetism Logging*, 199 (Aug. JPT)

BUCKLEY-LEVERETT THEORY: application in waterflood calculations for multiple sets of producing wells, (Tech. Note) Aug. JPT, 65
use in calculation of crude-oil recoveries by steam injection, 251; Summary Oct. JPT, 237A

BURKE, W. F.: *Simultaneous Underground Gas Storage and Secondary Oil Recovery*, (Art.) July JPT, 19

BUTANE: down-hole injection to control paraffin deposition in pumping wells, (Art.) Jan. JPT, 14

C

CALDWELL, B. M.: *Measurement of the Dynamic Characteristics of Perforating Shaped Charges by the Use of Ultra High-Speed Photographic Techniques*, 257; Summary Oct. JPT, 77

CALIFORNIA: WILMINGTON FIELD, Block VI Ranger zone; analysis of waterflood performance, (Field Case Hist.) May JPT, 45

CAMERON, J. S. JR.: *Effect on Gas Proration of Recent Special Orders in Texas*, (Art.) March JPT, 22

CAMPBELL, J. M., et al.: *Reverse Combustion—A New Oil Recovery Technique*, (Art.) May JPT, 11

CAMPBELL, W. M.: *Discussion of An Approach to the Evaluation of Oil-Production Capital Investment Risks*, (Art.) Sept. JPT, 25

CANADA: PEMBINA FIELD, ALBERTA: analysis of performance of a miscible displacement pilot, 38 (March JPT)

CAPILLARY-FLOW THEORY: effect of viscosity ratio on relative permeability, (Tech. Note) Nov. JPT, 65

CAPILLARY PRESSURE: determination for porous media from imbition data, 75; Summary April JPT, 81
introduction of a pore geometrical factor, (Tech. Note) March JPT, 73

CAPSHAW, T. D. and WOODDY, L. D. JR.: *Investment Evaluation by Present-Value Profile*, (Art.) June JPT, 15

CARAWAY, W. H. and GATES, G. L.: *Effect of Completion Fluids on Well Productivity in Permafrost, Umiat Field, Alaska*, (Field Case Hist.) Oct. JPT, 33

CARBON DIOXIDE: characteristics of a retrograde condensate

reservoir containing a large quantity, (Field Case Hist.) April JPT, 27
content of elemental sulfur in gaseous methane, carbon dioxide, hydrogen sulfide, and mixtures of these gases to 6,000 psia and 250°F, 166 (July JPT)
effect with hydrogen sulfide on the volumetric behavior of natural gases, 54; Summary March JPT, 37A
waterflooding agent; report of K&S project, Bartlesville, Okla., (Art.) Dec. JPT, 20
CARPENTER, C. W. JR., et al: *Laboratory Studies of Pilot Water Floods*, 24 (Feb. JPT)
CARTER, R. D. and TRACY, G. W.: *An Improved Method for Calculating Water Influx*, (Tech. Note) Dec. JPT, 58
Performance Predictions for Low Productivity Reservoirs, 193 (Aug. JPT)
CAUDLE, B. H. and LONCARIC, I. G.: *Oil Recovery in Five-Spot Pilot Floods*, 132 (June JPT)
CEMENT: oil well: new organic fluid-loss-control additive, (Art.) Sept. JPT, 20
reaction and properties of silica-portland cement mixtures cured at elevated temperatures, 281 (Nov. JPT)
silica-CMHEC mixtures: laboratory evaluations and field testing, (Art.) Nov. JPT, 25
CENTRAL OFICINA FIELD: *See* Venezuela, Eastern
CHARGES: shaped jet: measurement of the dynamic characteristics by use of ultra high-speed photographic techniques, 257; Summary Oct. JPT, 77
CHRISTENSEN, R. J., et al.: *Progress Review of the K&S Carbonated Waterflood Project*, (Art.) Dec. JPT, 20
CHROMATOGRAPHIC TRANSPORT: reverse-wetting agents and its effect on oil displacement in porous media, 150; Summary June JPT, 136A
CMHEC: silica-cement mixtures: laboratory evaluations and field testing, (Art.) Nov. JPT, 25
COATINGS: protective: for control of corrosion in production operations, (Art.) Oct. JPT, 20
COCHRAN, R. J. and CROSBY, G. E.: *Performance of An Alternate Repressuring and Producing Project*, (Field Case Hist.) Sept. JPT, 39
COKINOS, G. P.: *The Technique of Minimum Rate of Flow Tests and the Study of Production Performance*, (Art.) Jan. JPT, 23
COLLINS, R. E. and PERKINS, F. M. JR.: *Scaling Laws for Laboratory Flow Models of Oil Reservoirs*, (Tech. Note) Aug. JPT, 69
COLORADO: SOUTH MCCALLUM FIELD: characteristics of a retrograde condensate reservoir containing a large quantity of carbon dioxide, (Field Case Hist.) April JPT, 27
COMMUNITY RESPONSIBILITY: of the engineer, (Art.) Sept. JPT, 11
COMPLETION PRACTICE: *See also* Well Completion
effect of drilling fluids on well productivity in Permafrost, Umiat Field, Alaska, (Field Case Hist.) Oct. JPT, 33
new jet perforating charge eliminates carrot plugging, (Tech. Note) April JPT, 73
perforating of multiple tubingless wells, 88 (May JPT)
COMPUTERS: analog: electric analyzer pool unit used in study of effect of vertical fractures on well productivity, (Tech. Note) Oct. JPT, 72
IBM 704: Use in performance predictions for low productivity reservoirs, 193 (Aug. JPT)
CONDENSATES: calculation of equilibrium ratios for reservoir studies, 313; Summary Dec. JPT, 69
characteristics of one containing a large quantity of carbon dioxide, (Field Case Hist.) April JPT, 27
CONDUCTIVITY: thermal: of porous rocks at elevated temperatures, (Tech. Note) June JPT, 77
CONNALLY, C. A., et al: *The Pembina Miscible Displacement Pilot and Analysis of Its Performance*, 38 (March JPT)
CONVERGENCE PRESSURE: for crude oil and condensate systems: use in calculation of equilibruim ratios for reservoir studies, 313; Summary Dec. JPT, 69
COOLIDGE, J. E. and HULL, P.: *Field Examples of Nuclear Magnetism Logging*, (Art.) Aug. JPT, 14
CORRELATIONS: conditions for miscible displacement of reservoir fluid by rich, light hydrocarbon gases or LPG mixtures, 229 (Oct. JPT)
estimating volumes of liquid hydrocarbons at high temperatures and pressures, 288; Summary Nov. JPT, 272A
liquid density of hydrocarbon systems, (Tech. Note); Summary Aug. JPT, 80
oil formation volume factor and solution gas-oil ratio, (Art.) Aug. JPT, 27
CORROSION: case histories show value of squeeze treatment, (Art.) June JPT, 36
protective coatings in production operations, (Art.) Oct. JPT, 20
COST: natural gas: some considerations in the pricing, (Art.) July JPT, 17
CRAIG, F. F. JR., et al: *A Study of Gas-Cap Water Injection in a Peripheral Water Flood*, 216 (Sept. JPT)
CRAIG, F. F. JR. and OWENS, W. W.: *Miscible Slug Flooding—A Review*, (Art.) April JPT, 11
CRAWFORD, P. B.: *Laboratory Factors Affecting Waterflood Pattern Performance and Selection*, (Art.) Dec. JPT, 11
CRAWFORD, P. B., et al: *Calculation of Crude-Oil Recoveries by Steam Injection*, 251; Summary Oct. JPT, 237A
CRAWFORD, P. B., et al: *Model Studies for Production-Injection Well Conversion During Line-Drive Water Floods*, 94 (May JPT)
CRAWFORD, P. B. and FLANAGAN, D. A.: *Feasibility of Underground Storage of Liquefied Methane*, (Tech. Note) June JPT, 73
CRAWFORD, P. B. and LANDRUM, B. L.: *Effect of Directional Permeability on Sweep Efficiency and Production Capacity*, (Tech. Note) Nov. JPT, 67
CROSBY, G. E. and COCHRAN, R. J.: *Performance of an Alternate Repressuring and Producing Project*, (Field Case Hist.) Sept. JPT, 39
CULVER, R. C., et al: *Profitable Application of Well Logs*, (Art.) Jan. JPT, 17

D

DALTON, R. L. JR., et al: *Laboratory Studies of Pilot Water Floods*, 24 (Feb. JPT)
DARIN, S. R. and HUITT, J. L.: *Effect of a Partial Monolayer of Propping Agent on Fracture Flow Capacity*, 31 (March JPT)
DAWSON, E. R. and DRAKE, Q. S.: *Operation of a Dry-Desiccant Type Hydrocarbon Recovery Unit*, (Art.) July JPT, 19
DECKER, H.: *Proration and Well Spacing in Texas*, (Art.) March JPT, 18
DEFRANK, P., et al: *A New Jet Perforating Charge Eliminates Carrot Plugging*, (Tech. Note) April JPT, 73
DEHYDRATION UNIT: operation of a dry-desiccant type for hydrocarbon recovery, (Art.), July JPT, 19
DELAWARE BASIN: sonic log interpretation, (Tech. Note) Jan. JPT, 71
DELIVERABILITY STUDY: of natural gas reserves, (Art.) Dec JPT, 25
DEMOSS FIELD: *See* Texas
DENSITY: liquid: correlation of hydrocarbon systems, (Tech. Note); Summary Aug. JPT, 80
liquid: determining variation of light hydrocarbon mixtures, 170 (July JPT)
reduced: methane in gaseous and liquid states, (Tech. Note) Oct. JPT, 67
DE WIT, H. P.: *Measuring Oil Flow Rates Using Standard Oil-Gas Separators*, (Art.) Aug. JPT, 30
DIFFUSION BEHAVIOR: liquid mixtures: and the viscosity, 158; Summary June JPT, 86
DIFFUSIVITY: thermal: of porous rocks at elevated temperatures, (Tech. Note) June JPT, 77
DISCOUNTED-CASH-FLOW METHOD: difficulties encountered in

applying to the evaluation of oil-production capital investment risks, (Art.) Sept. JPT, 25
DISPLACEMENT MECHANISM: *See also* Miscible Displacement
oil in porous media: effects of chromatographic transport of reverse-wetting agents, 150; Summary June JPT, 136A
two-phase flow in two-dimensional systems: effects of rate, viscosity and density in porous media, 81; Summary April JPT, 82
DODSON, C. R.: *The Petroleum Engineer's Function in Oil and Gas Financing*, (Art.) April JPT, 19
DOWDEN, W. E., et al: *Miscible Fluid Displacement—Prediction of Miscibility*, 229 (Oct. JPT)
DRAKE, Q. S. and DAWSON, E. R.: *Operation of a Dry-Desiccant Type Hydrocarbon Recovery Unit*, (Art.) July JPT, 19
DRILLING: air or gas: development and field use of a high-frequency rotary-percussion tool, (Art.) May JPT, 20
design and operation of jet bit programs for maximum hydraulic horsepower, impact force or jet velocity, 238 (Oct. JPT)
effect of some variables on the instantaneous rate of penetration, 137 (June JPT)
efforts to develop improved oilwell tools and systems, 61 (April JPT)
floating-barge operations, (Art.) Feb. JPT, 18
DRILLING FLUIDS: effect of treating agent on the membrane potential, (Tech. Note); Summary Aug. JPT, 80
effect on well productivity in Permafrost, Umiat field, Alaska, (Field Case Hist.) Oct. JPT, 33
improved water-in-oil emulsion mud, (Art.) March JPT, 14
use of inverted-emulsion mud proves successful in zones susceptible to water damage, (Art.) Feb. JPT, 23
DRILL-STEM TESTS: case histories of analyses of characteristics of reservoir rock, (Art.) May JPT, 27
DUNLAP, P. M. and HEGWER, J. S.: *An Improved Acid for Calcium Sulfate-Bearing Formations*, (Tech. Note) Jan. JPT, 67

E

ECONOMICS: review, U. S. oil producing industry, (Art.) Nov. JPT, 11
tubingless completions, (Art.) Sept. JPT, 13
EDGE WATER: effect on low gravity oil production, (Field Case Hist.) Feb. JPT, 45
EGGLESTON, W. S.: *Application of Exploration and Production Cost Trends To Determination of Fair-Market Gas Prices*, (Art.) June JPT, 11
EL JAVALI FIELD: *See* Texas
ELKINS, L. F. and SKOV, A. M.: *Anisotropic Spread of Pressure Transients Delineates Spraberry Fracture Orientation*, 301 (Dec. JPT)
ELLIOTT, J. K. and KELLY, P. H.: *Determining Density Variation of Light Hydrocarbon Mixtures*, 170 (July JPT)
ENGINEERING: advances and analysis of the effect of education on the oil and gas industry, (Art.) Feb. JPT, 31
guide for planning acidizing treatments based on specific reservoir characteristics, 16 (Feb. JPT)
what the personnel, professional societies and unions are doing about unionization, (Art.) Feb. JPT, 13
ENGINEERING EDUCATION: a career of human significance, (Art.) Sept. JPT, 11
ENGINEERING PROFESSION: considerations involved in unification, (Art.) Oct. JPT, 25
ENRICHED-GAS DRIVE: influence of phase behavior and determination of optimum bank size, 305 (Dec. JPT)
performance of Seeligson Zone 20-B project, (Field Case Hist.) March JPT, 29
EQUILIBRIUM RATIOS: calculation for reservoir studies, 313; Summary Dec. JPT, 69
EQUIPMENT: review of tubingless completions, (Art.) Sept. JPT, 13
EVALUATION: investments by present-value profile, (Art.) June JPT, 15
oil-production capital investment risks, (Art.) Sept. JPT, 25
oil properties in terms of "after-tax" dollars, (Art.) Jan. JPT, 28
EXPLORATION: applications of nuclear science, (Art.) Aug. JPT, 11
cost trends: application to determination of fair-market gas prices, (Art.) June JPT, 11
oil: a philosophy for finding, (Art.) May JPT, 17

F

FEDERAL REGULATIONS: natural gas: a management look at, (Art.) JPT, 11
natural gas: some considerations in the pricing, (Art.) July JPT, 17
FERRELL, H., et al: *Model Studies for Production-Injection Well Conversion During Line-Drive Water Floods*, 94 (May JPT)
FIELDS: oil: interference between, 175; Summary July JPT, 70
FIELD TESTS: high-frequency gas-operated rotary-percussion drilling tool, (Art.) May JPT, 20
nuclear magnetism logging, (Art.) Aug. JPT, 14
Orco process, K&S project, Bartlesville, Okla., (Art.) Dec. JPT, 20
silica-CMHEC-cement mixtures, (Art.) Nov. JPT, 25
FILM FORMATION: at crude oil-water interfaces; theoretical approach to the investigation, (Tech. Note); Summary Feb. JPT, 87
FINANCE: oil and gas; petroleum engineer's function, (Art.) April JPT, 19
FLANAGAN, D. A. and CRAWFORD, P. B.: *Feasibility of Underground Storage of Liquefied Methane*, (Tech. Note) June JPT, 73
FLOW TESTS: measuring oil rates using standard oil-gas separators, (Art.) Aug. JPT, 30
technique of minimum rate and study of production performance, (Art.) Jan. JPT, 23
FLUID CHARACTERISTICS: retrograde condensate reservoir containing a large quantity of carbon dioxide, (Field Case Hist.) April JPT, 27
FLUID FLOW: application of equation in well interference, (Tech. Note) Sept. JPT, 89
equations for predicting performance of low productivity reservoirs, 193 (Aug. JPT)
radial two-phase: mathematical study of production behavior of a water-blocked oil well, 1, (Jan. JPT)
study of efficiency of miscible displacement as a function of mobility ratio, 264 (Nov. JPT)
two-phase, two-dimensional systems: effects of rate, viscosity and density on fluid displacement in porous media, 81; Summary April JPT, 82
FLUID PROPERTIES: density, liquid; correlation of hydrocarbon systems, (Tech. Note); Summary Aug. JPT, 80
FORMATION EVALUATION: profitable application of well logs, (Art.) Jan. JPT, 17
FORMATION FRACTURES: anisotropic spread of pressure transients delineates Spraberry fracture orientation, 301 (Dec. JPT)
horizontal: gravity drainage of oil into, 7 (Jan. JPT)
vertical: effect on well productivity, (Tech. Note) Oct. JPT, 72
FORMATION FRACTURING: hydraulic: effect of a partial monolayer of propping agent on fracture flow capacity, 31 (March JPT)
results of well stimulation by and high rate oil backflush, (Art.) June JPT, 19
single-point entry technique, (Art.) March JPT, 11
pin-point sandfracturing—a method of simultaneous injection into selected sands, (Art.) Nov. JPT, 21
FORMATION VOLUME FACTOR: oil, thermally reduced: correlation with solution gas-oil ratio, (Art.) Aug. JPT, 27
FRACTURED RESERVOIRS: *See* Formation Fractures
FREE FLUID LOG: continuous formation fluid curve on nuclear magnetism log, 199 (Aug. JPT)

FUNK, E. E.: *How to Live with Proration of Water Floods in Lansing-Kansas City Fields, Kansas*, (Art.) April JPT, 16

G

GAMSON, B. W. and BROWN, R. J. S.: *Nuclear Magnetism Logging*, 199 (Aug. JPT)
GARDESCU, I. I.: *Physical Deliverability of Gas Reserves*, (Art.) Dec. JPT, 25
GAS: *See* Natural Gas
GAS CONDENSATE: *See* Condensate
GAS FINANCING: petroleum engineer's function, (Art.) April JPT, 19
GAS INJECTION: approximation of gas-drive recovery and front movement in the Abqaiq field, Saudi Arabia, 273 (Nov. JPT)
field histories show benefits of project in Eastern Venezuela, Central Oficina field, (Field Case Hist.) July JPT, 33
high pressure: simultaneous underground gas storage and secondary oil recovery, (Art.) July JPT, 22
pressure maintenance: peripheral water flood as a supplement, (Field Case Hist.) April JPT, 33
reservoir performance, LL-453 area, Bolivar Coastal field, Venezuela, (Field Case Hist.) March JPT, 34
GAS-OIL RATIO: solution: correlation with oil formation volume factor, (Art.) Aug. JPT, 27
GAS PRICES: application of exploration and production cost trends to determination of fair-market values, (Art.) June JPT, 11
GAS PRODUCTION: Louisiana: outlook for offshore, (Art.) July JPT, 28
predicting future production of gas wells by deliverability studies, (Art.) Dec. JPT, 25
Texas; effect of recent "special orders," (Art.) March JPT, 22
GATES, G. L. and CARAWAY, W. H.: *Effect of Completion Fluids on Well Productivity in Permafrost, Umiat Field, Alaska*, (Field Case Hist.) Oct. JPT, 33
GATES, J. I.: *Discussion on Effect of Completion Fluids on Well Productivity in Permafrost, Umiat Field, Alaska*, (Field Case Hist.) Oct. JPT, 39
GATHERING SYSTEM: automatic custody-transfer system at Lake Pelto, Louisiana, (Art.) Oct. JPT, 15
GATLIN, C. and SLOBOD, R. L.: *The Alcohol Slug Process for Increasing Oil Recovery*, 46; Summary March JPT, 84
GAUCHER, D. H. and LINDLEY, D. C.: *Waterflood Performance in a Stratified, Five-Spot Reservoir—A Scaled-Model Study*, 208 (Sept. JPT)
GAUGING: using standard oil-gas separators in measuring oil flow rates, (Art.) Aug. JPT, 30
GHAURI, W. K.: *Results of Well Stimulation by Hydraulic Fracturing and High Rate Oil Backflush*, (Art.) June JPT, 19
GLEN COVE FIELD: *See* Texas
GLENN, W. E.: *A Career of Human Significance*, (Art.) Sept. JPT, 11
GOINS, W. C. JR. and KENDALL, H .A.: *Design and Operation of Jet-Bit Programs for Maximum Hydraulic Horsepower, Impact Force or Jet Velocity*, 238 (Oct. JPT)
GOLUSH, W. B.: *A Management Look at Natural Gas*, (Art.) July JPT, 11
GOVIER, G. W., et al: *The Volumetric Behavior of Natural Gases Containing Hydrogen Sulfide and Carbon Dioxide*, 54; Summary March JPT, 37A
GRAVITY DAMAGE: oil into large horizontal fractures, 7 (Jan. JPT)
GRAY, G. R., et al: *An Improved Water-in-Oil Emulsion Mud*, (Art.) March JPT, 14
GREEN, D .W, et al: *Reverse Combustion—A New Oil Recovery Technique*, (Art.) May JPT, 11
GRIFFITH, J. D., et al: *A Study of Gas-Cap Water Injection in a Peripheral Water Flood*, 216 (Sept. JPT)
GROENVELD, H., et al: *The Pembina Miscible Displacement Pilot and Analysis of Its Performance*, 38 (March JPT)

H

HABERMANN, B.: *The Efficiency of Miscible Displacement as a Function of Mobility Ratio*, 264 (Nov. JPT)
HANDY, L. L.: *Determination of Effective Capillary Pressures for Porous Media From Imbibition Data*, 75; Summary April JPT. 81
HARTSOCK, J. H. and WARREN, J. E.: *Well Interference*, (Tech. Note) Sept. JPT, 89
HARTSOOK, E A.: *Are We Meeting the Union Challenge?* (Art.) Feb. JPT, 13
HARVEY, R. R.: *Theoretical Approach to the Investigation of Films Occurring at Crude Oil-Water Interfaces*, (Tech. Note); Summary Feb. JPT, 87
HATFIELD, R. F., et al: *A New Jet Perforating Charge Eliminates Carrot Plugging*, (Tech Note) April JPT, 73
HAWTHORNE, R. G.: *Two-Phase Flow in Two-Dimensional Systems—Effects of Rate, Viscosity, and Density on Fluid Displacement in Porous Media*, 81; Summary April JPT, 82
HEAT FLOW: conduction-convection in underground combustion, 321; Summary Dec. JPT, 70
theoretical analysis in reverse combustion, 124; Summary May JPT, 15
HEGWER, J. S. and DUNLAP, P. M.: *An Improved Acid for Calcium Sulfate-Bearing Formations*, (Tech Note) Jan. JPT, 67
HENDERSON, J. R., et al: *Recovery of Oil by Displacements with Water-Solvent Mixtures*, 293; Summary Nov. JPT, 272B
HENDERSON, J. H. and MORRISSON, T .E.: *Gravity Drainage of Oil Into Large Horizontal Fractures*, 7 (Jan. JPT)
HENDRICKSON, A. R., et al: *Engineered Guide for Planning Acidizing Treatments Based on Specific Reservoir Characteristics*, 16 (Feb. JPT)
HEYSER, E. S. JR.: *The Role of the Independent in the U. S. Oil Industry*, (Art.) Aug. JPT, 23
HICKOK, C. W., et al.: *Progress Review of K&S Carbonated Waterflood Project*, (Art.) Dec. JPT, 20
HILL, K. E.: *Probable Pattern of United States Petroleum Supply*, (Art.) Nov. JPT, 15
Some Considerations in the Pricing of Natural Gas, (Art.) July JPT, 17
HINCKLEY, J.: *The Application of Slim-Hole Completions to Secondary Recovery*, (Art.) Sept. JPT, 31
HOENMANS, P. J., et al.: *The Pembina Miscible Displacement Pilot and Analysis of Its Performance*, 38 (March JPT)
HOVANESSIAN, S. A.: *Waterflood Calculations for Multiple Sets of Producing Wells*, (Tech. Note) Aug. JPT, 65
HOWARD, G. C., et al: *Development and Field Use of a High-Frequency Gas-Operated Rotary-Percussion Drilling Tool*, (Art.) May JPT, 20
HUITT, J. L.: *Hydraulic Fracturing with the Single-Point Entry Technique*, (Art.) March JPT, 11
HUITT, J. L. and DARIN, S. R.: *Effect of a Partial Monolayer of Propping Agent on Fracture Flow Capacity*, 31 (March JPT)
HULL, P. and COOLIDGE, J. E.: *Field Examples of Nuclear Magnetism Logging*, (Art.) Aug. JPT, 14
HURST, R. E., et al: *Engineered Guide for Planning Acidizing Treatments Based on Specific Reservoir Characteristics*, 16 (Feb. JPT)
HURST, W.: *Interference Between Oil Fields*, 175; Summary July JPT, 70; discussion, 190
HYDROCARBON RECOVERY: operation of a dry-desiccant type unit, (Art.) July JPT, 19
HYDROGEN SULFIDE: content of elemental sulfur in gaseous methane, carbon dioxide, hydrogen sulfide, and mixtures of these gases to 6.000 psia and 250° F, 166 (July JPT)

effect with carbon dioxide on the volumetric behavior of natural gases, 54; Summary March JPT, 37A

I

IMBIBITION DATA: use in determination of effective capillary pressures for porous media, 75; Summary April JPT, 81
INCOME TAXES: evaluation of oil properties in terms of "after-tax" dollars, (Art.) Jan. JPT, 28
INDEPENDENT OIL PRODUCERS: their role in the U. S. oil industry, (Art.) Aug. JPT, 23
INDUCTION LOGGING: new developments, (Tech. Note) May JPT, 79
INJECTION: *See* Gas Injection, Steam Injection, and Water Flooding
IN SITU COMBUSTION: *See* Thermal Recovery of Oil
INTERFACES: crude oil-water: theoretical approach to the investigation of films, (Tech. Note): Summary Feb. JPT, 87
INTERFERENCE: between oil fields, 175; Summary July JPT, 70 between oil fields in a non-uniform aquifer, (Tech. Note) Dec. JPT, 55
INVESTMENTS: evaluation by present-value profile, (Art.) June JPT, 15
IRBY, T. L., et al: *Model Studies for Production-Injection Well Conversion During Line-Drive Water Floods*, 94 (May JPT)

J

JET PERFORATORS: measurements of the dynamic characteristics of shaped charges by use of ultra high-speed photographic techniques, 257; Summary Oct. JPT, 77
JONES, F. T.: *History of a Milham Sand Water Flood Following Accidental Stimulation*, (Field Case Hist.) June JPT, 33
JUCH, A. H. and MURPHY, W. B.: *Pin-Point Sandfracturing—A Method of Simultaneous Injection into Selected Sands*, (Art.) Nov. JPT, 21
JUSTEN, J. J., et al: *The Pembina Miscible Displacement Pilot and Analysis of Its Performance*, 38 (March JPT)

K

K&S PROJECT: *See* Oklahoma
KANSAS: Lansing-Kansas City fields: how to live with proration of water floods, (Art.) April JPT, 16
KELLY, P. H. and ELLIOTT, J. K.: *Determining Density Variation of Light Hydrocarbon Mixtures*, 170 (July JPT)
KENDALL, H. A. and GOINS, W. C. JR.: *Design and Operation of Jet-Bit Programs for Maximum Hydraulic Horsepower, Impact Force or Jet Velocity*, 238 (Oct. JPT)
KENNEDY, H. T. and ALANI, G. H.: *Volumes of Liquid Hydrocarbons at High Temperatures and Pressures*, 288; Summary Nov. JPT, 272A
KENNEDY, H. T. and WIELAND, D. R.: *Equilibrium in the Methane-Carbon Dioxide-Hydrogen Sulfide-Sulfur System*, 166 (July JPT)
KIRBY, J. E. JR., et al: *Profitable Application of Well Logs*, (Art.) Jan. JPT, 17
KIRKPATRICK, C. V.: *Advances in Engineering Education with an Analysis of the Effect on the Oil and Gas Industry*, (Art.) Feb. JPT, 31
KNOPP, C. R.: *Bottom-Water and Edge-Water Effects on Low Gravity Oil Production*, (Field Case Hist.) Feb. JPT, 45
KNOPP, C. R. and RAMSEY, L. A.: *Correlation of Oil Formation Volume Factor and Solution Gas-Oil Ratio*, (Art.) Aug. JPT, 27
KOLB, R. H.: *Two Bottom-Hole Pressure Instruments Providing Automatic Surface Recording*, (Tech. Note) Feb. JPT, 79
KUNZMAN, W. J., et al: *Miscible Fluid Displacement—Prediction of Miscibility*, 229 (Oct. JPT)

L

LABOR UNIONS: are we meeting their challenge?, (Art.) Feb. JPT, 13
LABORATORY STUDIES: factors affecting waterflood pattern performance and selection, (Art.) Dec. JPT, 11
gas-cap water injection in a peripheral water flood, 208 (Sept. JPT)
high-frequency gas-operated rotary-percussion drilling tool, (Art.) May JPT, 20
pilot water floods by flow and potentiometric models, 24 (Feb. JPT)
pulsed neutron-source technique in well logging, (Tech. Note) July JPT, 63
reaction and properties of silica-portland cement mixtures cured at elevated temperatures, 281 (Nov. JPT)
scaling laws for flow models of oil reservoirs, (Tech. Note) Aug. JPT, 69
silica-CMHEC-cement mixtures, (Art.) Nov. JPT, 25
LAKE PELTO FIELD: *See* Louisiana
LANDRUM, B. L., et al: *Calculation of Crude-Oil Recoveries by Steam Injection*, 251; Summary Oct. JPT, 237A
LANDRUM, B. L. and CRAWFORD, P. B.: *Effect of Directional Permeability on Sweep Efficiency and Production Capacity*, (Tech. Note) Nov. JPT, 67
LANSING-KANSAS CITY FIELDS: *See* Kansas
LARKIN, B. K. and BAILEY, H. R.: *Conduction-Convection in Underground Combustion*, 321; Summary Dec. JPT, 70
LEADERSHIP: the new frontier of the U. S. in a free world at peace, (Art.) July JPT, 27
LEBOURG, M. P. and Bell, W. T.: *Perforating of Multiple Tubingless Completions*, 88 (May JPT)
LEDGERWOOD, L. W. JR: *Efforts to Develop Improved Oilwell Drilling Methods*, 61 (April JPT); discussion, Dec. JPT, 63
LEISSNER, E. L.: *Five-Spot vs Crestal Waterflood Patterns, Comparison of Results in Thin Reservoirs*, (Field Case Hist.) May JPT, 41
LINDLEY, D. C., et al: *Recovery of Oil by Displacements with Water-Solvent Mixtures*, 293; Summary Nov. JPT, 272B
LINDLEY, D. C. and GAUCHER, D. H.: *Waterflood Performance in a Stratified Five-Spot Reservoir—A Scaled-Model Study*, 208 (Sept. JPT)
LINE-DRIVE WELL PATTERN: field application in Glen Cove field, Coleman County, Tex., (Art.) Dec. JPT, 16
LIPSON, L. B. and OVERTON, H. L.: *The Effect of Drilling-Mud Treating Agent on the Membrane Potential*, (Tech. Note): Summary Aug. JPT, 80
LIQUIDS: determining density variation of light hydrocarbon mixtures, 170 (July JPT)
diffusional behavior and viscosity, 158; Summary June JPT, 86
volumes of hydrocarbons at high temperatures and pressures, 288; Summary Nov. JPT, 272A
LOGGING: *See* Well Logging
LONCARIC, I. G. and CAUDLE, B. H.: *Oil Recovery in Five-Spot Pilot Floods*, 132 (June JPT)
LOUISIANA: Lake Pelto field: automatic custody-transfer system, (Art.) Oct. JPT, 15
offshore: outlook for production, (Art.) July JPT, 28
LPG INJECTION: diluting slug with methane or natural gas, prediction of miscibility, 229 (Oct. JPT)
gas-driven slug: flow behavior and phase relationship for a partially depleted reservoir, 223 (Oct. JPT)
review of miscible slug flooding, (Art.) April JPT, 11
LUFFEL, D. L., et al: *Displacement of Oil by Rich Gas Banks*, (Dec. JPT), 305
LUKEHART, C. O.: *Down-Hole Injection of Butane to Control Paraffin Deposition in Pumping Wells*, (Art.) Jan. JPT, 14

M

MACRYGEORGOS, C. A., et al: *The Volumetric Behavior of Natural Gases Containing Hydrogen Sulfide and Carbon Dioxide*, 54; Summary March JPT, 37A

MADRAZO, A.: *Liquid-Density Correlation of Hydrocarbon Systems*, (Tech. Note); Summary Aug. JPT, 80

MAGNETISM: nuclear: a new logging method, 199 (Aug. JPT)

MANAGEMENT: review and future outlook of natural gas, (Art.) July JPT, 11

MATERIAL-BALANCE EQUATIONS: use for water-influx calculations, (Tech. Note) Dec. JPT, 58

MATSCHKE, D. E. and THODOS, G.: *The PVT Behavior of Methane in the Gaseous and Liquid States*, (Tech. Note) Oct. JPT, 67

MASON, W. L., et al: *The Pembina Miscible Displacement Pilot and Analysis of Its Performance*, 38 (March JPT)

MATTEI, J. B., et al: *Profitable Application of Well Logs*, (Art.) Jan. JPT, 17

MCCOLLUM, S. V.: *The Outlook for Louisiana's Offshore Production*, (Art.) July JPT, 28

MCGUIRE, W. J. and SIKORA, V. J.: *The Effect of Vertical Fractures on Well Productivity*, (Tech. Note) Oct. JPT, 72

MEASUREMENT: bottom-hole pressure; two instruments providing automatic surface recording, (Tech. Note) Feb. JPT, 79

oil flow rates using standard oil-gas separators, (Art.) Aug. JPT, 30

MEMBRANE POTENTIAL: effect of drilling-mud treating agent, (Tech. Note); Summary Aug. JPT, 80

METHANE: liquefied: feasibility of underground storage, (Tech. Note) June JPT, 73

PVT behavior in the gaseous and liquid states, (Tech. Note) Oct. JPT, 67

sulfur content of pure, binary, and ternary equilibrium mixtures to 6000 psia and 250° F, 166 (July JPT)

METHOD OF CHARACTERISTICS: application of waterflood calculations for multiple sets of producing wells, (Tech. Note) Aug. JPT, 65

MICHAELS, A. S. and TIMMINS, R. S.: *Chromatographic Transport of Reverse-Wetting Agents and Its Effects on Oil Displacement in Porous Media*, 150; Summary June JPT, 136A

MILES, F. V. and BAUMAN, W. E.: *Characteristics of a Retrograde Condensate Reservoir Containing a Large Quantity of Carbon Dioxide*, (Field Case Hist.) April JPT, 27

MILLICAN, M. L.: *The Sonic Log and The Delaware Sand*, (Tech. Note) Jan. JPT, 71

MISCIBLE DISPLACEMENT: analysis of performance of the Pembina pilot, 38 (March JPT)

efficiency displacement as a function of mobility ratio, 264 (Nov. JPT)

flow behavior and phase relationships for a partially depleted reservoir, 223 (Oct. JPT)

prediction of miscibility, 229 (Oct. JPT)

recovery of oil by displacements with water-solvent mixtures, 293; Summary Nov. JPT, 272B

review of slug flooding, (Art.) April JPT, 11

MITCHELL, W. JR.: *Considerations Involved in Unification of the Engineering Profession*, (Art.) Oct. JPT, 25

MIXTURES: determining density variation of light hydrocarbon liquids, 170 (July JPT)

diffusional behavior and viscosity of liquids, 158; Summary June JPT, 86

MOBILITY RATIO: effect on efficiency of miscible displacement, 264 (Nov. JPT)

factor affecting waterflood pattern performance and selection, (Art.) Dec. JPT, 11

0.1 to 10: oil recovery in five-spot pilot floods, 132 (June JPT)

MODELS: cage: for study of diffusional behavior and viscosity of liquid mixtures, 158; Summary June JPT, 86

drilling: used to study effect of some variables on the instantaneous rate of penetration, 137 (June JPT)

electrolytic: used in study of gravity drainage of oil into large horizontal fractures, 7 (Jan. JPT)

flow: efficiency of miscible displacement as a function of mobility ratio, 264 (Nov. JPT)

laboratory studies of scaling laws for oil reservoirs, (Tech. Note) Aug. JPT, 69

study of gas-cap water injection in a peripheral water flood, 216 (Sept. JPT)

study of waterflood performance in a stratified, five-spot reservoir, 208 (Sept. JPT)

flow and potentiometric: for studying pilot water floods, 24 (Feb. JPT)

potentiometric: effect of directional permeability on sweep efficiency and production capacity, (Tech. Note) Nov. JPT, 67

studies of production-injection well conversion during line drive water floods, 94 (May JPT)

physical: study of theoretical considerations of reverse combustion in tar sands, 109; Summary May JPT, 14

sand, three phase: studies of production-injection well conversion during line-drive water floods, 94 (May JPT)

MOOR, L. M. JR. and TANSIL, J. T.: *Automatic Custody-Transfer System at Lake Pelto, Louisiana*, (Art.) Oct. JPT, 15

MORRISSON, T. E. and HENDERSON, J. H.: *Gravity Drainage of Oil Into Large Horizontal Fractures*, 7 (Jan. JPT)

MORTADA, M.: *Oilfield Interference in Aquifers of Non-Uniform Properties*, (Tech. Note) Dec. JPT, 55

Discussion on Interference Between Oil Fields, 190

MURPHY, W. B. and JUCH, A. H.: *Pin-Point Sandfracturing—A Method of Simultaneous Injection into Selected Sands*, (Art.) Nov. JPT, 21

MUSE, J. F.: *Tubingless Completions: A Review of Equipment, Economics and Techniques*, (Art.) Sept. JPT, 13

N

NATURAL GAS: physical deliverability of reserves, (Art.) Dec. JPT, 25

some considerations in the pricing, (Art.) July JPT, 17

storage, underground: and simultaneous secondary oil recovery, (Art.) July JPT, 22

volumetric behavior when containing hydrogen sulfide and carbon dioxide, 54; Summary March JPT, 37A

NATURAL GAS INDUSTRY: effect of advances in engineering education, (Art.) Feb. JPT, 31

management outlook, (Art.) July JPT, 11

your other job is public relations, (Art.) Jan. JPT, 11

NELLIGAN, W. B. and TITTMAN, J.: *Laboratory Studies of a Pulsed Neutron-Source Technique in Well Logging*, (Tech. Note) July JPT, 63

NELSON, M. D. JR. and TRIMBLE, G. A.: *Use of Inverted-Emulsion Mud Proves Successful in Zones Susceptible to Water Damage*, (Art.) Feb. JPT, 23

NEW YORK CITY FIELD: *See* Texas

NICOLSON, K. M.: *Floating Drilling-Barge Operations*, (Art.) Feb. JPT, 18

NUCLEAR MAGNETISM LOG: field examples, (Art.) Aug. JPT, 14

NUCLEAR SALINITY LOG: new method for determining reservoir salinity, (Art.) Feb. JPT, 37

NUCLEAR SCIENCE: applications in petroleum exploration and production, (Art.) Aug. JPT, 11

O

ODEH, A. S.: *Discussion on "Effect of Viscosity Ratio on Relative Permeability"*, 68 (Dec. JPT)

OFFSHORE DRILLING: floating-barge operations, (Art.) Feb. JPT, 18

OG-202 FIELD: *See* Venezuela, Eastern

OIL BACKFLUSH: results of high rate and of hydraulic fracturing, (Art.) June JPT, 19

OIL FIELDS: interference between, 175; Summary July JPT, 70
interference in aquifers of non-uniform properties (Tech. Note) Dec. JPT, 55

OIL FINANCING: petroleum engineer's function, (Art.) April JPT, 19

OIL INDUSTRY: effect of advances in engineering education, (Art.) Feb. JPT, 31
role of the independent in the U. S., (Art.) Aug. JPT, 23
your other job is public relations, (Art.) Jan. JPT, 11

OIL PRODUCTION: applications of nuclear science, (Art.) Aug. JPT, 11
approach to the evaluation of capital investment risks, (Art.) Sept. JPT, 25
Louisiana: outlook for offshore, (Art.) July JPT, 28
low gravity: effects of bottom-water and edge-water, (Field Case Hist.) Feb. JPT, 45
probable pattern of U. S. supply, (Art.) Nov. JPT, 15
review of U. S. economics, (Art.) Nov. JPT, 11
Texas: effect of proration and well spacing, (Art.) March JPT, 18
water-blocked oil well, 1 (Jan. JPT)

OIL PROPERTIES: correlation of formation volume factor and solution gas-oil ratio, (Art.) Aug. JPT, 27
evaluation in terms of "after-tax" dollars, (Art.) Jan. JPT, 28

OIL RECOVERY: calculation of displacement efficiency of a steam injection process, 251; Summary Oct. JPT, 237A
displacement with water-solvent mixtures, 293; Summary Nov. JPT, 272B
effects of changing ratio of injection to withdrawal rates in five-spot pilot floods, mobility ratios between 0.1 and 10, 132 (June JPT)
effects of chromatographic transport of reverse-wetting agents in porous media, 150; Summary June JPT, 136A
enriched-gas drive: influence of phase behavior and determination of optimum bank size, 305 (Dec. JPT)
gas-drive: predictions for Abqaiq field, Saudi Arabia, 273 (Nov. JPT)
increasing with the alcohol slug process, 46; Summary March JPT, 84
miscible fluid displacement, 229 (Oct. JPT)
progress review of K&S carbonated waterflood project, (Art.) Dec. JPT, 20
reverse combustion—a new technique, (Art.) May JPT, 11
secondary oil recovery and simultaneous underground gas storage, (Art.) July JPT, 22

OIL RESERVOIRS: scaling laws for laboratory flow models, (Tech. Note) Aug. JPT, 69

OIL-WATER INTERFACES: theoretical approach to the investigation of films, (Tech. Note); Summary Feb. JPT, 87

OIL WELLS: efforts to develop improved drilling methods, 61 (April JPT)
production behavior when a partial "water block" forms, 1 (Jan. JPT)

OKLAHOMA: K&S project: progress review of carbonated waterflood (Art.) Dec. JPT, 20
Sholem Alechem fault block: study of gas-cap injection in a peripheral water flood, 216 (Sept. JPT)

OUTMANS, H. D.: *Discussion on Design and Operation of Jet-Bit Programs for Maximum Hydraulic Horsepower, Impact Force or Jet Velocity*, 248 (Oct. JPT)

OUTMANS, H. D.: *The Effect of Some Drilling Variables on the Instantaneous Rate of Penetration*, 137 (June JPT)

OVERTON, H. L. and LIPSON, L. B.: *The Effect of Drilling-Mud Treating Agent on the Membrane Potential*, (Tech. Note); Summary Aug. JPT, 80

OWENS, W. W. and CRAIG, F. F. JR.: *Miscible Slug Flooding—A Review*, (Art.) April JPT, 11

P

PARAFFIN DEPOSITION: pumping wells; down-hole injection of butane to control, (Art.) Jan. JPT, 14

PARRISH, D. R. and BERRY, V. J. JR.: *A Theoretical Analysis of Heat Flow in Reverse Combustion*, 124; Summary May JPT, 15

PATCHEN, F. D.: *Reaction and Properties of Silica-Portland Cement Mixtures Cured at Elevated Temperatures*, 281 (Nov. JPT)

PEMBINA FIELD: *See* Canada

PERFORATION: measurement of the dynamic characteristics of shaped charges by use of ultra high-speed photographic techniques, 257; Summary Oct. JPT, 77

PERFORATING: jet: new charge eliminates plugging, (Tech. Note) April JPT, 73
multiple tubingless completions, 88 (May JPT)

PERFORMANCE PREDICTIONS: low productivity reservoirs, 193 (Aug. JPT)

PERIPHERAL WELL PATTERN: field applications in Sojourner sand unit, Haskell Co.; Acme field, Clay Co.; and Nail Field, Shackelford, Co., Texas, (Art.) Dec. JPT, 60

PERKINS, F. M. JR. and COLLINS, R. E.: *Scaling Laws for Laboratory Flow Models of Oil Reservoirs*, (Tech. Note) Aug. JPT, 69

PERMEABILITY: anisotropic: spread of pressure transients delineates Spraberry fracture orientation, 301 (Dec. JPT)
directional: effect on sweep efficiency and production capacity, (Tech. Note) Nov. JPT, 67
relative: effect of viscosity ratio, (Tech. Note) Nov. JPT, 65
silica-portland cement mixtures cured at elevated temperatures, 281 (Nov. JPT)
stratified: scaled-model study of waterflood performance in a five-spot reservoir, 208 (Sept. JPT)

PERRY, R. H. et al: *Reverse Combustion—A New Oil Recovery Technique*, (Art.) May JPT, 11

PERSONNEL: what the engineers and scientists, professional societies, and unions are doing about unionization, (Art.) Feb. JPT, 13

PETROLEUM: *See* Oil

PETROLEUM ENGINEER: as a professional witness, (Art.) Aug. JPT, 39
function in oil and gas financing, (Art.) April JPT, 19

PETROLEUM ENGINEERING: SPE reflects future decline in number of graduates, (Art.) July JPT, 41

PHASE BEHAVIOR: calculation of equilibrium ratios for crude oil and condensate systems, 313; Summary Dec. JPT, 69
influence in enriched-gas-drive bank size; determination of optimum size, 305 (Dec. JPT)
methane in the gaseous and liquid states, (Tech. Note) Oct. JPT, 67
miscible displacement in a partially depleted reservoir, 223 (Oct. JPT)
volumes of liquid hydrocarbons at high temperatures and pressures, 288; Summary Nov. JPT, 272A

PHOSPHATES: controlled solubility type: a versatile solution to oilfield scale problems, (Art.) Nov. JPT, 30

PILOT FLOODS: five-spot well pattern: effects of changing ratio of injection to withdrawal rates, mobility ratios 0.1 to 10, 132 (June JPT)

PLAZA, J. B. and STORER, T. C.: *Peripheral Water Flood as a Supplement to Gas-Injection Pressure Maintenance*, (Field Case Hist.) April JPT, 33

PLUGGING: formation: new jet perforating charge eleminates carrot, (Tech. Note) April JPT, 73

POETKER, R. H.: *Case Histories Show Value of Corrosion Inhibitor Squeeze Treatment*, (Art.) June JPT, 36

POLLOCK, C. B.: *Beaver Creek Madison, Wyoming's Deepest Water-Injection Project*, (Field Case Hist.) Jan. JPT, 39

PORE GEOMETRICAL FACTOR: as defined by the capillary pressure curve, (Tech. Note) March JPT, 73
POROUS MEDIA: *See also* Reservoir Rock
chromatographic transport of reserve-wetting agents and its effects on oil displacement, 150; Summary June JPT, 136A
determination of effective capillary pressures from imbibition data, 75; Summary April JPT, 81
thermal characteristics at elevated temperatures, (Tech. Note) June JPT, 77
two-phase flow in two-dimensional systems: effects of rate, viscosity, and density on fluid displacement, 81; Summary April JPT, 82
POULTER, T. C., et al: *Measurement of the Dynamic Characteristics of Perforating Shaped Charges by the Use of Ultra High-Speed Photographic Techniques*, 257; Summary Oct. JPT, 77
POWELL, D H.: *Evaluation of Oil Properties in After-Tax Dollars*, (Art.) Jan. JPT, 28
PRESENT-VALUE PROFILE: use in investment valuation, (Art.) June JPT, 15
PRESSURE BEHAVIOR: oilfield interference in aquifiers of nonuniform properties, (Tech. Note) Dec. JPT, 55
water-drive reservoirs: method for prediction, (Tech. Note) Dec. JPT, 58
PRESSURE DISTRIBUTIONS: in well interference problem, (Tech. Note) Sept. JPT, 89
PRESSURE MAINTENANCE: *See also* Gas Injection and Water Flooding
analysis of performance of the Pembina miscible displacement pilot, 38 (March JPT)
PRICE, H. S., et al: *Theoretical Considerations of Reverse Combustion in Tar Sands*, 109; Summary May JPT, 14
PRIESTMAN, G. D.: *Key to the Future—A Review of the Economics of the U. S. Oil Producing Industry*, (Art.) Nov. JPT, 11
PRODUCTION: application of cost trends to determination of fair-market gas prices, (Art.) June JPT, 11
controlled solubility phosphates—a versatile solution to scale problems, (Art.) Nov. JPT, 30
DeMoss flood handles early water-breakthrough problem, (Art.) Oct. JPT, 11
performance: study of, and technique of minimum rate of flow tests, (Art.) Jan. JPT, 23
protective coatings for corrosion control, (Art.) Oct. JPT, 20
PRODUCTIVITY: effect of vertical fractures, (Tech. Note) Oct. JPT, 72
low: performance predictions for reservoirs, 193 (Aug. JPT)
PROFESSIONAL SOCIETIES: are they meeting the union challenge? (Art.) Feb. JPT, 13
PROFESSIONAL WITNESS: a role of the petroleum engineer: honesty and sincerity mandatory, (Art.) JPT, 39
PROPPING AGENT: effect of a partial monolayer on fracture flow capacity, 31 (March JPT)
PRORATION: gas in Texas; effect of recent "special orders," (Art.) March JPT, 22
oil in Texas, (Art.) March JPT, 18
water floods in Lansing-Kansas City fields, Kansas, (Art.) April JPT, 16
PRUITT, G. T., et al: *Model Studies for Production-Injection Well Conversion During Line-Drive Water Floods*, 94 (May JPT)
PUBLIC RELATIONS: your other job in the oil and gas business, (Art.) Jan. JPT, 11
PUMPING WELLS: down-hole injection of butane to control paraffin deposition, (Art.) Jan. JPT, 14
PYLE, H. C.: *A Philosophy for Exploration*, (Art.) May JPT, 17
The New Frontier, (Art.) July JPT, 27

R

RADIATION LOGGING: laboratory studies of a pulsed neutron-source technique, (Tech. Note) July JPT, 63
RAMSAY, H. J. JR., et al: *Progress Review of K&S Carbonated Waterflood Project*, (Art.) Dec. JPT, 20
RAMSEY, L. A.: *Field Histories Show Benefits of Gas and Water-Injection Projects in Eastern Venezuela*, (Field Case Hist.) July JPT, 33
RAMSEY, L. A. and KNOPP, C. R.: *Correlation of Oil Formation Volume Factor and Solution Gas-Oil Ratio*, (Art.) Aug. JPT, 27
RAPOPORT, L. A., et al: *Laboratory Studies of Pilot Water Floods*, 24 (Feb. JPT)
RATE OF RETURN: review of the economics of the U. S. oil producing industry, (Art.) Nov. JPT, 11
RAYNAL, J.: *Discussion on Efforts to Develop Improved Oilwell Drilling Methods*, 63 (Dec. JPT)
RAYNE, J. R., et al: *Recovery of Oil by Displacements with Water-Solvent Mixtures*, 293; Summary Nov. JPT, 272B
REDUCED-STATE BEHAVIOR: methane in gaseous and liquid states, (Tech. Note) Oct. JPT, 67
REED, D. W., et al: *Experimental Aspects of Reverse Combustion in Tar Sands*, 99; Summary May JPT, 13
REED, R. L., et al: *Experimental Aspects of Reverse Combustion in Tar Sands*, 99; Summary May JPT, 13
Theoretical Considerations of Reverse Combustion in Tar Sands, 109; Summary May JPT, 14
RESERVOIR CHARACTERISTICS: used as basis of engineered guide for planning acidizing treatments, 16 (Feb. JPT)
RESERVOIR ROCK: *See also* Porous Media
case histories of analyses of rock characteristics from drill-stem tests, (Art.) May JPT, 27
RESERVOIR SALINITY: determination by a new nuclear log. (Art.) Feb. JPT, 37
REVERSE COMBUSTION: *See* Thermal Recovery of Oil
RIBE, K. H.: *Production Behavior of a Water-Blocked Oil Well*, 1 (Jan. JPT); discussion, June JPT, 84A
RILEY, E. A. and WILLIAMS, B. G.: *DeMoss Flood Handles Early Water-Breakthrough Problem*, (Art.) Oct. JPT, 11
RILEY, H. G., et al: *A Study of Gas-Cap Water Injection in a Peripheral Water Flood*, 216 (Sept. JPT)
RINCON FIELD: *See* Texas
ROARK, G. E.: *Analysis of Waterflood Performance—Block VI Ranger Zone, Wilmington Field, Calif.* (Field Case Hist.) May JPT, 45
ROBINSON, D. B., et al: *The Volumetric Behavior of Natural Gases Containing Hydrogen Sulfide and Carbon Dioxide*, 54; Summary March JPT, 37A
ROBINSON, R. L., et al: *A New Jet Perforating Charge Eliminates Carrot Plugging*, (Tech. Note) April JPT, 73
ROBINSON, R.M.: *Protective Coatings for Corrosion Control in Production Operations*, (Art.) Oct. JPT, 20
RUST, C. F. and WOOD, W. D.: *Laboratory Evaluations and Field Testing of Silica-CMHEC-Cement Mixtures*, (Art.) Nov. JPT, 25

S

SANDFRACTURING: pin-point: a method of simultaneous injection into selected sands, (Art.) Nov. JPT, 21
SAUDI ARABIA: approximation of gas-drive recovery and front movement in Abqaiq field, 273 (Nov. JPT)
SCALE PREVENTIVES: controlled solubility phosphates—a versatile solution to oilfield scale problems, (Art.) Nov. JPT, 30
SCALING LAWS: laboratory studies of flow models of oil reservoirs, (Tech. Note) Aug. JPT, 69
SCHALLER, H. E. and STROUD, S. G.: *A New Nuclear Log for the Determination of Reservoir Salinity*, (Art.) Feb. JPT, 37
SECONDARY RECOVERY: *See also* Gas Injection, Misciple Displacement, Thermal Recovery of Oil, and Water Flooding
application of slim-hole completions, (Art.) Sept. JPT, 31
performance of an alternate repressuring and producing project, (Field Case Hist.) Sept. JPT, 39
SEELIGSON FIELD: *See* Texas

SEPARATORS: measuring oil flow rates using standard type, (Art.) Aug. JPT, 30
SHOLEM ALECHEM FAULT BLOCK: *See* Oklahoma
SICKING, J. N. and BRINKMAN, F. H.: *Equilibrium Ratios for Reservoir Studies by a Calculative Method*, 313; Summary Dec. JPT, 69
SIKORA, V. J. and MCGUIRE, W. J.: *The Effect of Vertical Fractures on Well Productivity*, (Tech. Note) Oct. JPT, 72
SKOV, A. M. and ELKINS, L. F.: *Anisotropic Spread of Pressure Transients Delineates Spraberry Fracture Orientation*, 301 (Dec. JPT)
SLOAT, B.: *Controlled Solubility Phosphates—A Versatile Solution to Oilfield Scale Problems*, (Art.) Nov. JPT, 30
SLOBOD, R. L. and GATLIN, C.: *The Alcohol Slug Process for Increasing Oil Recovery*, 46; Summary March JPT, 84
SMITH, J. E., et al: *Calculation of Crude-Oil Recoveries by Steam Injection*, 251; Summary Oct. JPT, 237A
SOLUBILITY: sulfur in pure methane, carbon dioxide, hydrogen sulfide, binary mixtures of each, and ternary mixtures to 6,000 psia and 250° F, 166 (July JPT)
SOMERTON, W. H. and BOOZER, G. D.: *Thermal Characteristics of Porous Rocks at Elevated Temperatures*, (Tech. Note) June JPT, 77
SONIC LOGGING: *See* Acoustic Velocity Logging
SOUTH MCCALLUM FIELD: *See* Colorado
SPE POLL: reflects future decline in number of petroleum engineering graduates, (Art.) July JPT, 41
SPRABERRY TREND: *See* Texas
SQUEEZE TREATMENT: corrosion inhibitor: case histories show value, (Art.) June JPT, 36
STANLEY, L. T.: *Approximation of Gas-Drive Recovery and Front Movement in Abqaiq Field, Saudi Arabia*, 273 (Nov. JPT)
STEAM INJECTION: calculation of crude oil recoveries, 251; Summary Oct. JPT, 237A
STEPHENS, F.: *Peripheral and Line-Drive Water-Injection Projects*, (Art.) Dec. JPT, 16
STEPANEK, D. L.: *Reservoir Performance Under Gas Injection, LL-543 Area, Bolivar Coastal Field, Venezuela*, (Field Case Hist.) March JPT, 34
STIMULATION OF OIL WELLS: results of hydraulic fracturing and high rate oil backflush, (Art.) June JPT, 19
STONE, H. L., et al: *Displacement of Oil by Rich Gas Bank*, 305 (Dec. JPT)
STORAGE: underground: feasibility for liquefied methane, (Tech. Note) June JPT, 73
STORER, T. C. and PLAZA, J. B.: *Peripheral Water Flood as a Supplement to Gas-Injection Pressure Maintenance*, (Field Case Hist.) April JPT, 33
STOUT, C. M. and WAHL, W. W.: *A New Organic Fluid-Loss-Control Additive for Oilwell Cements*, (Art.) Sept. JPT, 20
STRAWN (BASAL) SAND RESERVOIR UNIT: *See* DeMoss Field, Tex.
STROUD, S. G. and SCHALLER, H.E.: *A New Nuclear Log for the Determination of Reservoir Salinity*, (Art.) Feb. JPT, 37
SULFATE-BEARING FORMATIONS: improved acid treatment, (Tech. Note) Jan. JPT, 67
SULFUR CONTENT: at equilibrium for pure methane, carbon dioxide, hydrogen sulfide, and some binary and ternary mixtures to 6,000 psia and 250° F, 166 (July JPT)
SUPPLY AND DEMAND: oil, probable pattern for U. S., (Art.) Nov. JPT, 15
SWEEP EFFICIENCY: areal (pattern): effect of directional permeability, (Tech. Note) Nov. JPT, 67
factor affecting waterflood pattern performance and selection, (Art.) Dec. JPT, 11
function of mobility ratio in miscible displacement process, 264 (Nov. JPT)
flood pattern performance and selection, (Art.) Dec. JPT, 11

T

TANGUY, D. R.: *New Developments in Induction and Sonic Logging*, (Tech. Note) May JPT, 79
TANSIL, J. T. and MOOR, L. M. JR.: *Automatic Custody-Transfer System at Lake Pelto, Louisiana*, (Art.) Oct. JPT, 15
TAR SANDS: experimental aspects of reverse combustion, 99; Summary May JPT, 13
theoretical considerations of reverse combustion, 109; Summary May JPT, 14
TAYLOR, R. W.: *The Petroleum Engineer as a Professional Witness*, (Art.) Aug. JPT, 39
TECHNICAL OBSOLESCENCE: for the engineer to maintain the highest level of technical "know-how" requires a life-long study habit, (Art.) Sept. JPT, 11
TERRY, W. M., et al.: *Recovery of Oil by Displacement with Water-Solvent Mixtures*, 293; Summary Nov. JPT, 272B
TEXAS: Acme field: field application of peripheral well pattern, (Art.) Dec. JPT, 16
Ambassador field: simultaneous underground gas storage and secondary oil recovery, (Art.) July JPT, 19
DeMoss field: water flood handles early water-breakthrough problem, (Art.) Oct. JPT, 11
Glen Cove field: line-drive well pattern, (Art.), Dec. JPT, 16
History of a Milham sand water flood: following accidental stimulation, (Field Case Hist.) June JPT, 33
Nail field: field application of peripheral well pattern, (Art.) Dec. JPT, 16
New York City field: simultaneous underground gas storage and secondary oil recovery, (Art.) July JPT, 19
Rincon field, Frio D-7 sand: performance of an alternate repressuring and producing project, (Field Case Hist.) Sept. JPT, 39
Sojourner sand unit field application of peripheral well pattern, (Art.) Dec. JPT, 16
South: El Javali field, five-spot vs crestal waterflood patterns, comparison of results in thin reservoirs, (Field Case Hist.) May JPT, 41
performance of Seeligson Zone 20-B enriched gas-drive, (Field Case Hist.) March JPT, 29
Willamar West field, peripheral water flood as a supplement to gas-injection pressure maintenance, (Field Case Hist.) April JPT, 33
Spraberry field, Driver area: anisotropic spread of pressure transients delineates fracture orientation, 301 (Dec. JPT)
THERMAL RECOVERY OF OIL: conduction-convection in underground combustion, 321; Summary Dec. JPT, 70
experimental aspects of reverse combustion in tar sands, 99; Summary May JPT, 13
reverse combustion—a new oil recovery technique, (Art.) May JPT, 11
theoretical analysis of heat flow in reverse combustion, 124; Summary May JPT, 15
theoretical considerations of reverse combustion in tar sands, 109; Summary May JPT, 14
THODOS G. and MATSCHKE, D. E.: *The PVT Behavior of Methane in the Gaseous and Liquid States*, (Tech. Note) Oct JPT, 67
THOMEER, J. H. M.: *Introduction of a Pore Geometrical Factor Defined by the Capillary Pressure Curve*, (Tech. Note) March JPT, 73
TIMMINS, R. S. and MICHAELS, A. S.: *Chromatographic Transport of Reverse-Wetting Agents and Its Effects on Oil Displacement in Porous Media*, 150; Summary June JPT, 136A
TITTMAN, J. and NELLIGAN, W. B.: *Laboratory Studies of a Pulsed Neutron-Source Technique in Well Logging*, (Tech Note) July JPT, 63
TIXIER, M. P., et al: *New Developments in Induction and Sonic Logging*, (Tech. Note) May JPT, 79
TRACHT, J H., et al: *Experimental Aspects of Reverse Combustion in Tar Sands*, 99; Summary May JPT, 13

TRACY, G. W. and CARTER, R. D.: *An Improved Method for Calculating Water Influx*, (Tech. Note) Dec. JPT, 58
Performance Predictions for Low Productivity Reservoirs, 193 (Aug JPT)
TREATING AGENTS: drilling mud: effect on membrane potential, (Tech. Note); Summary Aug. JPT, 80
TRIMBLE, G. A. and NELSON, M. D. JR.: *Use of Inverted-Emulsion Mud Proves Successful in Zones Susceptible to Water Damage*, (Art.) Feb. JPT, 23

U

UMIAT FIELD: *See* Alaska
UNDERGROUND CAVERNS: feasibility for storage of liquefied methane, (Tech Note) June JPT, 73
UNDERGROUND COMBUSTION: *See* Thermal Recovery of Oil
UNIFICATION: of engineering profession, considerations involved, (Art.) Oct. JPT, 25
UNIONS: what the engineer, professional societies and unions are doing about unionization, (Art.) Feb. JPT, 13
UNITED STATES: leadership in a free world at peace, the new frontier, (Art.) July JPT, 27
probable pattern of supply and demand, (Art.) Nov. JPT, 15
review of economics of oil producing industry, (Art.) Nov. JPT, 11
role of the independent in the oil industry, (Art.) Aug. JPT, 23

V

VALUATION: *See* Evaluation
VENEZUELA: Bolivar Coastal field; reservoir performance under gas injection, LL-453 area, (Field Case Hist.) March JPT, 34
Eastern: field histories show benefits of gas- and water-injection projects, Central Oficina field and OG-202 field, (Field Cast Hist.) July JPT, 33
South: bottom-water and edge-water effects on low-gravity oil production, (Field Case Hist.) Feb. JPT, 45
VINCENT, R. P., et al: *Development and Field Use of a High-Frequency Gas-Operated Rotary-Percussion Drilling Tool*, (Art.) May JPT, 20
VISCOSITY: liquid mixtures; and diffusional behavior, 158; Summary June JPT, 86
VISCOSITY RATIO: effect on relative permeability, (Tech. Note) Nov. JPT, 65
VOLUMETRIC BEHAVIOR: liquid hydrocarbons at high temperatures and pressures, 288; Summary Nov. JPT, 272A
natural gases containing hydrogen sulfide and carbon dioxide, 54; Summary March JPT, 37A

W

WAGGONER "ABC" MILHAN SAND: *See* Texas
WAGNER, R. J., et al: *A Study of Gas-Cap Water Injection in a Peripheral Water Flood*, 216 (Sept. JPT)
WAHL, W.W. and STOUT, C. M.: *A New Organic Fluid-Loss-Control Additive for Oilwell Cements*, (Art.) Sept. JPT, 20
WANSBROUGH, R. S.: *An Approach to the Evaluation of Oil-Production Capital Investment Risks*, (Art.) Sept. JPT, 25
WARREN, J. E.: *Discussion on Production Behavior of a Water-Blocked Oil Well*, 84A (June JPT)
WARREN, J. E., et al: *Theoretical Considerations of Reverse Combustion in Tar Sands*, 109; Summary May JPT, 14
WARREN, J. E. and HARTSOCK, J. H.: *Well Interference*, (Tech. Note) Sept. JPT, 89
WATER BLOCK: effect on production behavior of an oil well, 1 (Jan. JPT)
WATER FLOODING: analysis of performance—Block VI Ranger zone, Wilmington field, Calif., (Field Case Hist.) May JPT, 45
calculations for multiple sets of producing wells, (Tech. Note) Aug. JPT, 65
controlled solubility phosphates—a versatile solution to oilfield scale problems, (Art.) Nov. JPT, 30
DeMoss flood handles early water-breakthrough problem, (Art.) Oct. JPT, 11
field histories show benefits of project in Eastern Venezuela, OG-202 field, (Field Case Hist.) July JPT, 33
five-spot vs crestal patterns, comparison of results in thin reservoirs, (Field Case Hist.) May JPT, 41
history of a Milham sand flood following accidental stimulation, (Field Case Hist.) June JPT, 33
how to live with proration in Lansing-Kansas City Fields, Kansas, (Art.) April JPT, 16
improved method for calculating water influx, (Tech. Note) Dec. JPT, 58
laboratory factors affecting pattern performance and selection, (Art.) Dec. JPT, 11
laboratory model studies on pilots, 24 (Feb. JPT)
model studies for production-injection well conversion during line-drive floods, 94 (May JPT)
oilfield interference in aquifers of non-uniform properties, (Tech Note) Dec. JPT, 55
peripheral: study of gas-cap water injection, 216 (Sept. JPT)
supplement to gas-injection pressure maintenance, (Field Case Hist.) April JPT, 33
peripheral and line-drive injection projects, (Art.) Dec. JPT, 16
progress review of K&S carbonated waterflood project, (Art.) Dec. JPT, 20
scaled-model study of performance in a stratified, five-spot reservoir, 208 (Sept. JPT)
Wyoming's deepest project, Beaver Creek field, Madison limestone, (Field Case Hist.) Jan. JPT, 39
WATER INJECTION: *See* Water Flooding
WATER-SOLVENT PROCESS: for recovery of oil by miscible displacement, 293; Summary Nov. JPT, 272B
WEINTRITT, D. J., et al: *An Improved Water-in-Oil Emulsion Mud*, (Art.) March JPT, 14
WELL COMPLETION: *See also* Completion Practice
application of slim-hole technique to secondary recovery, (Art.) Sept. JPT, 31
perforating of multiple tubingless wells, 88 (May JPT)
pin-point sandfracturing—a method of simultaneous injection into selected sands, (Art.) Nov. JPT, 21
tubingless: a review of equipment, economics and techniques, (Art.) Sept. JPT, 13
use of inverted-emulsion mud proves successful in zones susceptible to water damage, (Art.) Feb. JPT, 23
use of water-in-oil emulsion as completion fluid, (Art.) March JPT, 14
WELL INTERFERENCE: estimation of the interaction between two adjacent wells producing from a common aquifer, (Tech. Note) Sept. JPT, 89
WELL LOGGING: application of nuclear science, (Art.) Aug. JPT, 11
field examples of nuclear magnetism logging, (Art.) Aug. JPT, 14
laboratory studies of a pulsed neutron-source technique, (Tech. Note) July JPT, 63
nuclear magnetism, 199 (Aug. JPT)
profitable application in formation evaluation, (Art.) Jan. JPT, 17
WELL PATTERN: FIVE SPOT: effects of changing ratio of injection to withdrawal rates in pilot floods, mobility ratios 0.1 to 10, 132 (June JPT)
performance and selection for water flood: laboratory factors affecting, (Art.) Dec. JPT, 11
peripheral and line-drive, water-injection projects, (Art.) Dec. JPT, 16
WELL SERVICING: use of water-in-oil emulsion mud, (Art.) March JPT, 14
WELL SPACING: in Texas, (Art.) March JPT, 18

WELL STIMULATION: ACCIDENTAL: effect on history of a Milham sand water flood, (Field Case Hist.) June JPT, 33
hydraulic fracturing with the single-point entry technique, (Art.) March JPT, 11
results by hydraulic fracturing and high rate oil backflush, (Art.) June JPT, 19

WETTING AGENTS: REVERSE: chromatographic transport and its effects on oil displacement in porous media, 150; Summary June JPT, 136A

WIELAND, D. R., et al.: *Engineered Guide for Planning Acidizing Treatments Based on Specific Reservoir Characteristics,* 16 (Feb JPT)

WIELAND, D. R. and KENNEDY, H. T.: *Equilibrium in the Methane-Carbon Dioxide-Hydrogen Sulfide-Sulfur System,* 166 (July JPT)

WILDER, L. D., et al.: *Development and Field Use of a High-Frequency Gas-Operated Rotary-Percussion Drilling Tool,* (Art.) May JPT, 20

WILLAMAR WEST FIELD: *See* Texas

WILLIAMS, B. G. and RILEY, E. A.: *DeMoss Flood Handles Early Water-Breakthrough Problem,* (Art) Oct JPT, 11

WILLIAMS, M.: *Applications of Nuclear Science in Petroleum Production,* (Art.) Aug. JPT, 11

WILMINGTON FIELD: *See* California

WILSON, J. F.: *Miscible Displacement — Flow Behavior and Phase Relationships for a Partially Depleted Reservoir,* 223 (Oct. JPT)

WOOD, W. D. and RUST, C. F.: *Laboratory Evaluations and Field Testing of Silica-CMHEC-Cement Mixtures,* (Art.) Nov. JPT, 25

WOODDY, L. D., JR. and CAPSHAW, T. D.: *Investment Evaluation by Present-Value Profile,* (Art.) June JPT, 15

WORKOVERS: use of inverted-emulsion mud proves successful in zones susceptible to water damage, (Art.) Feb. JPT, 23

WYOMING: BEAVER CREEK FIELD, MADISON LIMESTONE: deep water injection project, (Field Case Hist.) Jan. JPT, 39 ★★★